

# MAKE A BRILLIANT IMPRESSION.



## AT-A-GLANCE



imagePRESS C65 shown with optional accessories.

### AMAZING COLOR

- High-resolution imaging at 2400 x 2400 dpi with R-VCSEL laser technology
- Vibrant images on a wide variety of media with CV Toner and Advanced Image Transfer Belt
- Consistent, stable output with automatic calibration for reproducible proofs and comps
- Professional color matching tools for accurate simulations and predictable reproduction of colors
- Precise registration with the Compact Registration Module

### CREATIVE CHOICES

- Attention-getting stock variety, including thick, thin, uncoated, coated, textured, and recycled, in weights up to 110 lb. Cover (300 gsm) and validated heavier stocks up to 130 lb. Cover (350 gsm)
- Canon's Gloss Optimization technology tailors the gloss level of the toner image so final output can give the true appearance of the media chosen for the desired creative expression
- Up to 7,650-sheet feeding capacity with up to six different sources
- Array of optional in-line, post-processing accessories for the finishing touch of presentation pieces and samples

# DESIGNED FOR CREATIVE FIRMS AND DESIGN PROFESSIONALS

## SHOWCASE YOUR CREATIVITY

Bring your ideas to life in brilliant color. With a range of breakthrough technologies, the imagePRESS C65 color digital press delivers precise 2400-dpi resolution, highly accurate registration, and truly consistent output. A wide color gamut helps ensure exacting color matches to brand colors and original art. And in-line finishing lets you efficiently produce layout proofs, press-proof comps, packaging markups, and more.

## OPTIMIZE COLOR WORKFLOWS

Enjoy a competitive edge with advanced job management tools that quickly, easily, and cost-effectively produce stunning results. Both the server-type imagePRESS Server H300 and the embedded imagePRESS Server G100, built on EFI's Fiery® FS150 Pro platform, precisely match color to other presses and optimize workflows with true simulations that yield reliable color results. Multiple files can be combined and finished documents created with just a few clicks.

## MEET CRITICAL DEADLINES

Significantly faster than its predecessor, the imagePRESS C65 outputs jobs rapidly. Fast warm-up and first-copy-out times allow you to see results in a flash. Reliable paper-feeding and advanced fusing technologies keep productivity high, so deadlines are met with ease.

## RESPECT THE ENVIRONMENT

The imagePRESS C65 incorporates eco-conscious solutions you've come to expect from Canon. Meeting ENERGY STAR® standards, rated EPEAT Gold, and RoHS compliant, it will help you minimize your organization's environmental impact and lower energy costs.

## BUILD YOUR BUSINESS

Count on Canon to provide the solutions that will help you build existing accounts and impress prospective clients. With a deep understanding of the creative process and the production environment, Canon meets your complex color demands with high efficiency and impressive reliability.

### READY WHEN YOU ARE

- Output speeds of up to 65 images per minute (color and B/W)
- Automatic duplexing on up to 130 lb. Cover (350 gsm)\*
- Maintains rated speed on uncoated stocks up to 80 lb. Cover (220 gsm)
- Readily available with fast warm-up and first-print-out times
- imagePRESS Server H300 and imagePRESS Server G100 deliver the quality performance studios need

### SMALL AND SCALABLE

- Base configuration with small footprint to fit even into tight spaces
- Modular design allows configuration choice that best fits your needs
- Choice of external server or embedded controller

### ENVIRONMENT

- Can help reduce organizations' environmental impact and energy cost
- Meets ENERGY STAR® standards
- Rated EPEAT Gold
- Compliant with RoHS
- Recyclable toner bottles
- No VOCs in consumables

\* For stocks above 110 lb. Cover only those validated heavier stocks listed in the imagePRESS C850/C750/C65 Series Specialty Media Guide are supported.

# POWERFUL, COMPACT, AND SCALABLE

## SOLUTIONS DESIGNED FOR YOUR OPERATION

Ideal for design professionals in the creative community, packaging design, and architectural firms, the scalable configuration of the imagePRESS C65 color digital press offers various finishing and paper-feeding options.

### 1 STAPLE FINISHER-T1 AND BOOKLET FINISHER-T2

Corner- or two-point staple up to 50 sheets or saddle-stitch\* up to 64-page booklets. Stack and finish sheets in Letter, Legal, 11" x 17", and 12" x 18" sizes.

### 2 PUNCH UNIT

Optional 2/3-hole punch unit for Staple Finisher-T1 and Booklet Finisher-T2.

### 3 STAPLE FINISHER-W1 AND BOOKLET FINISHER-W1

Corner- or two-point staple up to 100 sheets or saddle-stitch\* up to 100-page booklets. Stack and finish standard and custom paper sizes up to 13" x 19.2". An external side jogger keeps paper in neat stacks, and an optional 2/3-hole puncher is also available.

### 4 MULTI FUNCTION PROFESSIONAL PUNCHER-A1

Perfect for presentations, this module offers numerous die patterns to take some of the manual labor out of the binding process. It also enables in-line creasing.

### 5 OUTPUT TRAY

Use the output tray to conveniently catch up to 250 flat sheets of standard and specialty stocks. Sheets stay smooth and even, ready for your client presentation.

### 6 STACK BYPASS

Quickly produce proofs or presentation slicks on special paper stocks. The Stack Bypass holds up to 100 sheets in sizes up to 13" x 19. Feeding up to 30" long sheets requires the long sheet tray option.

### 7 POD DECK LITE


The POD Deck Lite offers a 3,500-sheet capacity and maximum size of 13" x 19.2". Accommodates all supported media weights and types, including envelopes.

### 8 MULTI-DRAWER PAPER DECK

Three paper drawers offer a 6,000-sheet capacity and maximum size of 13" x 19.2". All drawers accommodate all supported media weights and types except envelopes.

**Note:** Feeding and finishing capacity based on 20 lb. Bond paper.

\* Available only on Booklet Finisher or Saddle Finisher.



# imagePRESS SERVER H300/G100



Fiery technology for outstanding image quality and automated workflows.

## EFFICIENT JOB MANAGEMENT

An intuitive print management interface for Fiery servers, Command WorkStation® centralizes and helps simplify job management. Users can monitor and direct jobs, automate workflows, and preview and adjust documents.

## WORK ACROSS PLATFORMS

These imagePRESS Servers integrate smoothly with your various prepress workflows, as well as select, third-party software and EFI™ solutions.

## SPOT-ON™ COLOR MATCHING

The powerful Spot-On utility helps take the guesswork out of color matching, offering an intuitive interface that makes it fast and easy to define or modify spot colors. It's an ideal way to reproduce corporate or brand colors precisely.

## DIRECT PRINTING FROM APPLE® MOBILE DEVICES

Enhance press accessibility with the power to print directly from Apple iPad® and iPhone® devices.\* Using an enterprise's wireless connection, users can securely print from the native print feature of a mobile device.

## CANON PRESS CONSOLE

The Canon Press Console offers easy access to operator settings such as the media library, press stability controls, and output appearance settings.

## FS200 PRO PLATFORM\*\*

The Canon imagePRESS Server H300 is built on EFI's Fiery FS200 Pro platform. FS200 Pro offers fast processing, superb image quality, extensive imaging features, and simple, automated workflows.

\*Supported on Apple devices running iOS 4.2 or later.

\*\*The imagePRESS Server G100 runs on the Fiery FS150 Pro platform..



imagePRESS Server H300

imagePRESS Server G100

# STANDOUT PRESENTATIONS

## FEATURES THAT EXPRESS YOUR CREATIVITY

### VERSATILITY

Thanks to the combination of the CV Toner's smooth particles and low melting point with the Advanced Image Transfer belt, reliable color registration and toner adhesion for vibrant images are achieved on all supported stocks. The imagePRESS C65 color digital press can run a range of paper stocks at weights from 14 lb. Bond up to 110 lb. Cover (and validated stocks up to 130 lb. Cover\*) in gloss, uncoated, and vellum finishes.

### GLOSS OPTIMIZATION

Output creative concepts and production proofs on your house stock or the media best supporting your design intent. Unique imagePRESS Gloss Optimization Technology allows images to closely match the gloss levels of the media specified. Fine papers with smooth, rough, or textured surfaces, such as eggshell and felt, can add a special tactile experience to your presentation material for a longer-lasting impression.

### FINISHING TOUCHES

True-size comps and proofs can be produced on sheet sizes up to 13" x 19.2" and up to 13" x 30" with the long sheet feeding and output options. Use the output tray to conveniently catch flat sheets on special stocks. Sheets stay smooth and even, ready for your client presentation. Easily create saddle-stitched brochures and programs with the in-line saddle finisher. Or, produce ready-to-bind, lay-flat presentations with the in-line professional puncher.

\*For a list of validated stocks up to 130 lb. Cover (350 gsm), please consult the imagePRESS C850/C750/C65 Series Specialty Media Handling Guide.



# DEPENDABLE PERFORMANCE

## MEET EACH DEADLINE WITH EASE



### REAL-TIME CALIBRATION

With automatic, real-time calibration and tools to reduce calibration time, the imagePRESS C65 delivers high-quality, repeatable, predictable output with minimal operator intervention.



### ADVANCED FEEDING TECHNOLOGIES\*

Keep work moving smoothly when you need it with advanced paper feeding technologies. Double-feed detection, Air Suction, Air Separation, and Air Assist features provide reliable, accurate paper feeding of all supported stocks, including coated papers.



### ACCURATE REGISTRATION

Combined with the imagePRESS C65's self-centering drawers, the Compact Registration Module helps deliver accurate, front-to-back registration, sheet after sheet.



### HUMIDITY SENSOR/AIRFLOW UNIT

The controlled internal environment and airflow help maintain consistent, high-quality images across print runs.



### FAST OUTPUT

With a start-up time of six minutes or less and a first-copy-out speed of under 7.7 seconds, the imagePRESS C65 is ready when you need it. Production speeds of up to 65 ipm on a wide range of media help keep you on track.

\*Available with the Multi-Drawer Paper Deck-C1 and POD Deck Lite-C1 input accessories.

## TEAMING WITH CANON

### A COMPETITIVE ADVANTAGE

Canon can help you increase productivity and improve your bottom line. Its extensive print experience translates to deep insight into industry characteristics and trends as well as customer goals and challenges. Canon's understanding of various printing markets allows it to tailor solutions to meet your specific needs.

### TOTAL SOLUTIONS

The Canon portfolio of technology offerings is among the broadest in the industry. From digital, web-fed, and wide-format systems to inkjet, photo printers, and workflow solutions, Canon has a customized solution for your business.

Customers share their experiences. Visit:  
[USA.CANON.COM/PRODUCTIONPRINTING](http://USA.CANON.COM/PRODUCTIONPRINTING)



## MARKING ENGINE

<b>Technology:</b>	Electrophotography
<b>Resolution:</b>	Up to 2400 x 2400 dpi
<b>Halftones:</b>	256-level Grayscale
<b>Print Speed</b>	8.5" x 11": Up to 65 ipm 11" x 17": Up to 34 ipm 12" x 18": Up to 32 ipm 13" x 19": Up to 30 ipm 3.94" x 5.83" to 13" x 19.2"
<b>Paper Size:</b>	3.94" x 5.83" to 13" x 19.2"
<b>Paper Feeding</b>	
Standard:	Up to 1,650 Sheets (20 lb. Bond)
Maximum:	Up to 7,650 Sheets (20 lb. Bond)
<b>Paper Weight:</b>	14 lb. Bond to 110 lb. Cover* (52 gsm to 300 gsm) Validated heavier stocks supported*
<b>Envelopes:*</b>	#10 Business, Monarch, 6" x 9", 9" x 12", 10" x 13"
<b>Duplexing:</b>	Automatic Duplex, Any Supported Stock
<b>Dimensions (H x W x D):</b>	56.1" x 60.2" x 36.8" Includes Operator Panel

## DIGITAL FRONT-ENDS

<b>External:</b>	imagePRESS Server H300, standard includes X-Rite iPro 2 Spectrophotometer
<b>Embedded:</b>	imagePRESS Server G100
<b>Options:</b>	Fiery Compose, Fiery Impose, Fiery Impose/Compose Bundle, GA Premium Package,* Removable HDD Kit-1B,* Integrated Interface & Stand-A1,* Productivity Package,** X-Rite iPro 2 Spectrophotometer**

## INPUT ACCESSORIES\*\*\*

### Multi-Drawer Paper Deck-C1

<b>Paper Capacity:</b>	Up to 6,000 Sheets (20 lb. Bond)
<b>Paper Size:</b>	5.5" x 7.2" to 13" x 19.2"
<b>Paper Weight:</b>	14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm) Validated heavier stocks supported*
<b>Dimensions (H x W x D):</b>	40.9" x 37.4" x 31.4"

### POD Deck Lite-C1

<b>Paper Capacity:</b>	Up to 3,500 Sheets (20 lb. Bond)
<b>Paper Size:</b>	5.5" x 5.83" to 13" x 19.2"
<b>Paper Weight:</b>	17 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm) Validated heavier stocks supported*
<b>Envelopes:*</b>	#10 Business, Monarch, 6" x 9", 9" x 12", 10" x 13"
<b>Dimensions (H x W x D):</b>	22.5" x 28.2" x 27.0"

### Stack Bypass-B1

<b>Paper Capacity:</b>	Up to 100 Sheets (20 lb. Bond)
<b>Paper Size:</b>	3.94" x 5.83" to 13" x 19.2" (Long Sheet up to 30")
<b>Paper Weight:</b>	16 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm) Validated heavier stocks supported*
<b>Envelopes:</b>	#10 Business, Monarch, 6" x 9", 9" x 12", 10" x 13"

### Duplex Color Image Reader-K1

<b>Document Size:</b>	Statement to 11" x 17"
<b>Resolution:</b>	Up to 600 x 600 dpi
<b>Tray Capacity:</b>	Up to 300 Sheets (20 lb. Bond)
<b>Scan Speed</b>	<b>300 dpi</b> <b>600 dpi</b>
BW (duplex/simplex):	Up to 200/120 ipm      Up to 120/120ipm
Color (duplex/simplex):	Up to 140/120 ipm      Up to 70/70 ipm

## FINISHING ACCESSORIES\*\*\*

### Multi Function Professional Puncher-A1††

<b>Original Size:</b>	12" x 18", 11" x 17", LTR, LGL, LTR-R, STMT
<b>Paper Weight:</b>	Plain: 20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
<b>Die Set Patterns:</b>	Coated: 80 lb. Text to 110 lb. Cover (118 gsm to 300 gsm) Loose Leaf 3-Hole/5-Hole, Velo Bind 11-Hole, Plastic Comb 19-Hole, Twin Loop 21-Hole/32-Hole, Color Coil 44-Hole, Crease
<b>Dimensions (H x W x D):</b>	40.9" x 17.5" x 31.2"

### Staple Finisher-W1/Booklet Finisher-W1

<b>Tray Capacity</b>	
Top Tray:	Up to 1,000 Sheets (20 lb. Bond)
Lower Tray:	Up to 4,000 Sheets (20 lb. Bond)
Saddle-Stitch Tray:	Up to 30 Booklets or Limitless
<b>Staple Positions:</b>	Corner Stapling, Double Stapling
<b>Paper Weight:</b>	14 lb. Bond to 110 lb. Cover (Top tray up to 130 lb. Cover)

<b>Paper Size</b>	
Stapling:	11" x 17", LGL, LTR-R, EXEC, LTR, 12" x 18", 13" x 19.2", Custom Size (8.3" x 11" to 13" x 19.2")
Saddle Finisher:	11" x 17", LGL, LTR-R, 12" x 18", 13" x 19", Custom Size (8.3" x 11" to 13" x 19.2")

### Stapling Capacity:

### Booklet Stapling Capacity

Uncoated:	Up to 25 Sheets
Coated:	Up to 10 Sheets
<b>V-Folding:</b>	Up to 5 Sheets without Stitch (20 lb. Bond)
<b>Dimensions (H x W x D):</b>	<b>Staple Finisher-W1:</b> 46.5" x 35.0" x 31.2" <b>Booklet Finisher-W1:</b> 46.5" x 41.7" x 31.2"

### Staple Finisher-T1/Booklet Finisher-T1

<b>Tray Capacity</b>	
Escape Tray:	Up to 250 Sheets (20 lb. Bond)
Top Tray:	Up to 1,300 Sheets (20 lb. Bond)
Lower Tray:	Up to 2,450 Sheets (20 lb. Bond)
Saddle-Stitch Tray:	Up to 25 Booklets
<b>Staple Positions:</b>	Corner Stapling, Double Stapling
<b>Paper Weight</b>	
Top/Lower Tray:	Same as Main Engine
Escape Tray:	14 lb. Bond to 140 lb. Index (52 to 256 gsm)
<b>Paper Size</b>	
Stapling:	Executive, Letter-R, Letter, Legal, 11" x 17"
Saddle-Stitching:	Letter-R, Legal, 11" x 17", 12" x 18"

### Stapling Capacity:

### Booklet Stapling Capacity:

### Dimensions (H x W x D):

\* For a list of validated stocks between 110 lb. Cover and 130 lb. Cover (301 gsm to 350 gsm), please consult the imagePRESS C850/C750/C65 Series Specialty Media Handling Guide. Engine cassettes support up to 80 lb. Cover (220 gsm).

- ♦ Requires Envelope Attachment Kit.
- Option for external imagePRESS Server H300 only.
- Option for embedded imagePRESS Server G100 only.
- \*\*\* Optional.

† With optional Stack Bypass-B1, Stack Bypass Tray-C2, and Long Sheet Tray-B1. Paper sizes longer than 19.2" can be fed one sheet at a time.

†† Must connect to Staple Finisher-W1 or Booklet Finisher-W1.

▲ Not available at initial launch.

USA.CANON.COM/PRODUCTIONPRINTING



As an ENERGY STAR® Partner, Canon U.S.A., Inc. has certified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon and imagePRESS are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners. All printout images and effects are simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2017 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying.

0817R2-C65-BRO-PDF-IH

